# BASIC HISTORY QUESTIONNAIRE—DOGS

## Basic history questionnaire—Dogs The questionnaire that follows focuses on all aspects of your dog's behavior and health issues that could contribute to any behavioral concerns. To interpret this information in the most detailed possible light it would be helpful for you to list your dog's weight and your dog's body condition score. If you do not know your dog's body condition score, please go to the websites listed to see the scoring systems routinely used. Dog's weight: \_\_\_\_\_ kg or\_\_\_\_lb Body condition score/BCS: \_\_ www.pet-slimmers.com/shapedog.htm www.purina.com/dog/weight-and-exercise/bodycondition.aspx Please complete the pages below as accurately as possible. 1. Pet's name 2. Owner/client's name 3. Kennel name (if applicable) 4. Owner's address 5. Owner's home phone number 6. Owner's office phone number 7. Owner's fax number 8. Owner's e-mail address 9. Breed of dog 10. Sex of dog □ No ☐ Yes 11. Has this dog been neutered? 12. How old, in months, was the dog when neutered? months 13. What was the reason for neutering? ☐ Yes ☐ No If yes, what? 14. Any behavioral changes after neutering? ☐ Yes □ No 15. Has this dog been bred? 16. If you have not yet bred this dog, do you plan on breeding ☐ Yes □ No him or her? ☐ No If yes, what? ☐ Yes 17. Any behavioral changes after breeding? 18. Describe your dog's coat color \_Month:\_ Year: 19. Dog's date of birth 20. Dog's age at completion of this questionnaire, in months months 21. How old was your pet when you first acquired him or her, \_ months in months? ☐ No If so, how many? ☐ Yes 22. Has this pet had other owners? □ 0 □ 1 □ 2 □ 3 □ 4 □ 5+ □ Unknown Why was pet given up? 23. How long have you had this dog, in months? months

24. Where did you get this pet?	a. Stray/found b. Breeder—serious show/performance breeder c. Breeder—backyard breeder d. SPCA/Humane shelter e. Breed rescue service f. Newspaper adoption ad (not breeder) g. Pet store h. Friend i. Other (Please explain)
25. Why did you get this dog?	
26. When was your dog last vaccinated?	
27. When was your last complete veterinary check up?	
28. Does this dog have any physical problems that your veterinarian has noted?	☐ Yes ☐ No If so, what specifically?
29. Is your dog taking any medication for any of the medical problems discussed above?	☐ Yes ☐ No If so, what specifically?
30. Is your dog taking heartworm preventative?	☐ Yes ☐ No If so, brand:
31. Is your dog taking flea or tick preventative?	☐ Yes ☐ No If so, brand:
32. What food (brand names, amounts, and schedules) is your dog fed?	
33. What treats does your dog get (brand names, amounts, and schedules)	
34. Does your dog get anything else to eat?	☐ Yes ☐ No If so, what specifically?
35. How is your dog exercised/maintained?	This dog is (please check all that apply):  a. Allowed to run free, unsupervised b. Fenced/kenneled/run c. Leash walked d. Outside, unleashed but supervised e. Indoors only f. Outdoors only
36. How many walks does your dog get daily, and how long are these walks?	# walks Average length in minutes
37. How many play sessions does your dog get daily?	
38. How many training sessions does your dog get daily?	
39. How often is your dog groomed?	
40. How is your dog kept when you leave him or her alone?	□ a. free in house □ b. free outdoors □ c. indoor kennel/run □ d. outdoor kennel/run □ e. crate indoors □ f. crate outdoors or garage □ g. behind a gate or door in house □ h. other (please specify)

41. What percentage of the 24 h day does your pet spend inside?	% inside
42. What percentage of the day does your pet spend outside?	% outside
43. What kind of a living situation do you have?	<ul> <li>□ a. Apartment</li> <li>□ b. Townhouse/condominium</li> <li>□ c. House with small yard</li> <li>□ d. House with large yard</li> <li>□ e. Farm</li> </ul>
44. Has your household changed since acquiring this pet?	☐ Yes ☐ No If so, how? ☐ a. Death of human in family ☐ b. Death of pet in family ☐ c. Divorce ☐ d. Marriage ☐ e. Baby born ☐ f. Child moved ☐ g. Pet added ☐ h. Family moved ☐ i. Family schedule changed (lost or gained jobs) ☐ j. Other
45. Do you know how many animals were in this pet's litter?	☐ Yes ☐ No # females # males
46. Are any litter mates affected with any medical problems?	□ Yes □ No
47. Are any litter mates affected with any <b>behavioral</b> problems?	☐ Yes ☐ No ☐ Don't know If yes, what specifically?
48. Why did you choose this specific animal from the litter?	
49. Why did you choose this specific breed?	
50. Have you owned this particular breed before?	☐ Yes ☐ No
51. Have you owned pets before?	□ Yes □ No
52. Have you owned dogs before?	☐ Yes ☐ No
53. Have you owned cats before?	☐ Yes ☐ No
54. Have you owned birds before?	☐ Yes ☐ No
55. Where does your pet sleep? (Please check all that apply; we know pets move at night.)	□ a. In or on your bed □ b. On his/her own bed in your bedroom □ c. In a crate in your bedroom □ d. On a bed in another room □ e. In a crate in another room □ f. On the floor next to your bed □ g. In another room, voluntarily, anywhere he or she wants □ h. In another room, because he/she is locked from your bedroom □ i. Anywhere he/she wants
56. What is your dog's obedience school/training history?:	□ a. No school—trained yourself □ b. Puppy kindergarden □ c. Group lessons—basic □ d. Group lessons—advanced □ e. Private trainer at house □ f. Private trainer—sent to trainer □ g. Agility □ h. Flyball □ i. Specialty training (hunting, herding, et cetera); please specify

d. Wa e. He f. Fe	ay wn/lie down ait eel	Perfe	ct OK, needs	s work Badly
a. Sit b. St c. Do d. Wa e. He f. Fe	ay wn/lie down ait eel	Perfe	ct OK, needs	s work Badly
a. Sit b. St c. Do d. Wa e. He f. Fe	ay wn/lie down ait eel	Perfe	ct OK, needs	s work Badly
b. Sta c. Do d. Wa e. He f. Fe	ay wn/lie down ait eel	Perfe	ct OK, needs	s work Badly
b. Sta c. Do d. Wa e. He f. Fe	ay wn/lie down ait eel			
c. Do d. Wa e. He f. Fe	own/lie down ait eel			
d. Wa e. He f. Fe	ait eel			
e. He	el			- Line Line Control Control
f. Fe				
1016	ave it/drop it			
h. Ta				
Let 1		cify)		
ring in the ho	usehold now.			
			OCCUPATIO	N
5E	LF "			
		-		
				A. Labariana
Sex: M MC F FS	Age obtained in months	in months	illness?	Any behaviora illness?
			☐ Yes ☐ No	☐ Yes ☐ No
			☐ Yes ☐ No	☐ Yes ☐ No
			☐ Yes ☐ No	☐ Yes ☐ No
			☐ Yes ☐ No	☐ Yes ☐ No
			☐ Yes ☐ No	☐ Yes ☐ No
			☐ Yes ☐ No	
	The state of the s			
			☐ Yes ☐ No	
			☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No	☐ Yes ☐ No
֡֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	ring in the horest self, husband, wife SE	ring in the household now.  RELATIONSHIP Self, husband, wife, mother-in-law, etc.)  SELF *  -dogs) in the household.  Sex: Age obtained in months	RELATIONSHIP Self, husband, wife, mother-in-law, etc.)  SELF *  In-dogs) in the household.  Sex: Age obtained in months in months	RELATIONSHIP OCCUPATIONSHIP Self, husband, wife, mother-in-law, etc.)  SELF *  A-dogs) in the household.  Sex: Age obtained in months in months illness?  I yes No Yes No Yes No Yes No Yes No

Complaint #	Specific complaint/proble	em	Very Serio	us?	Ser	ious'	? 1	Not s	erious
1									
2									
3									
4									
5									
Fartha compl	aints numbered above, please estimate the freque	ency of occurrence	e of the unde:	sirable	e beh	navior			
The state of the s	Percent of time that animal is in situation and during which undesirable behavior occurs:  Less than 25%  25%-50%  51%-75%  76%-100%	Complaint 2: F		e that indes	anin	nal is	in s		
Complaint 3:  Daily  Weekly  Monthly	Percent of time that animal is in situation and during which undesirable behavior occurs:  Less than 25% 25%-50% 51%-75% 76%-100%	Complaint 4:		undes					
Complaint 5:  Daily Weekly Monthly	Percent of time that animal is in situation and during which undesirable behavior occurs:  ☐ Less than 25% ☐ 25%-50% ☐ 51%-75% ☐ 76%-100%								
so If your do	a has what you perceive to be a problem, why has	ve you kept the do	oa despite this	prob	lem?				
70. Are you o 71. Do you fe 72. Have you	g has what you perceive to be a problem, why have oncerned that you may have caused the problem? It considered finding another home for this pet?	?		Yes Yes Yes Yes	lem?		No		
70. Are you o 71. Do you fe 72. Have you 73. Have you	oncerned that you may have caused the problem elegality about this problem? considered finding another home for this pet? considered euthanasia (putting your pet to sleep)	?		Yes Yes Yes	lem?		No No		
70. Are you of 71. Do you fe 72. Have you 73. Have you On the issue	concerned that you may have caused the problem one guilty about this problem? considered finding another home for this pet? considered euthanasia (putting your pet to sleep) to of biting:	?		Yes Yes Yes	lem?		No No	5	>5
70. Are you of 71. Do you fe 72. Have you 73. Have you On the issue 74. How man	oncerned that you may have caused the problem elegality about this problem? considered finding another home for this pet? considered euthanasia (putting your pet to sleep)	?		Yes Yes Yes	2	3	No No No		>5 >5
70. Are you of 71. Do you fe 72. Have you 73. Have you On the issue 74. How man 75. How man 76. How man	concerned that you may have caused the problem one guilty about this problem? It considered finding another home for this pet? It considered euthanasia (putting your pet to sleep) It of biting: It y total bites has your dog inflicted on any human one bites to humans broke the skin? It y bites to humans were reported, and to whom? It authorities, hospital, humane society, etc.) Number	?	0	Yes Yes Yes Yes	2	3	No No No	5	
70. Are you of 71. Do you fe 72. Have you 73. Have you  On the issue 74. How man 75. How man (i.e., local	concerned that you may have caused the problem of the guilty about this problem? It considered finding another home for this pet? It considered euthanasia (putting your pet to sleep) It of biting: It you total bites has your dog inflicted on any human of the standard of	? ? per reported:	0 0	Yes Yes Yes Yes	2 2	3 3	No No No 4 4	5	>5
70. Are you of 71. Do you fe 72. Have you 73. Have you On the issue 74. How man 75. How man (i.e., local Reported 77. Was then	concerned that you may have caused the problem's sel guilty about this problem? It considered finding another home for this pet? It considered euthanasia (putting your pet to sleep) to biting:  By total bites has your dog inflicted on any human's by bites to humans broke the skin?  By bites to humans were reported, and to whom? It authorities, hospital, humane society, etc.) Number 1 to:  By the problem of the problem's problem of the problem's problem of the problem's problem.	? ? per reported:	0 0	Yes Yes Yes Yes 1	2 2 2	3 3	No No No 4 4	5	>5
70. Are you of 71. Do you fe 72. Have you 73. Have you On the issue 74. How man 75. How man (i.e., loca Reported 77. Was then 78. How man	concerned that you may have caused the problem of the guilty about this problem? It considered finding another home for this pet? It considered euthanasia (putting your pet to sleep) It of biting: It you total bites has your dog inflicted on any human of the standard of	? ? per reported:	0 0	Yes Yes Yes Yes 1 1 1 Yes	2 2 2	3 3 3	No No No 4 4	5	>5 >5
70. Are you of 71. Do you fe 72. Have you of 73. Have you on the issue 74. How man 75. How man (i.e., loca Reported 77. Was then 78. How man 79. How man 80. How man 80. How man 80. How man 80. How man 71. The young feet 75. Was then 76. How man 79. How man 80. How man 8	concerned that you may have caused the problem? The guilty about this problem? The considered finding another home for this pet? The considered euthanasia (putting your pet to sleep) The cof biting: The yotal bites has your dog inflicted on any human by bites to humans broke the skin? The bites to humans were reported, and to whom? The lauthorities, hospital, humane society, etc.) Number to the legal action taken as a result of any bite to human by total bites has your dog inflicted on any dog? The legal action taken as a result of any bite to human by total bites has your dog inflicted on any dog? The bites to dogs were reported, and to whom? The lauthorities, hospital, Humane Society, et ceteral.	? ? per reported: ans?	0 0 0	Yes Yes Yes Yes Yes 1 1 Yes	2 2 2	3 3 3 3 No 3	No No No 4 4 4	5 5 5 5	>5 >5 >5
70. Are you of 71. Do you fe 72. Have you 73. Have you 74. How mar 75. How mar (i.e., loca Reported 77. Was ther 78. How mar 79. How mar (i.e., loca Reported Reported	concerned that you may have caused the problem? The guilty about this problem? The considered finding another home for this pet? The considered euthanasia (putting your pet to sleep) The cof biting: The yotal bites has your dog inflicted on any human by bites to humans broke the skin? The bites to humans were reported, and to whom? The lauthorities, hospital, humane society, etc.) Number to the legal action taken as a result of any bite to human by total bites has your dog inflicted on any dog? The legal action taken as a result of any bite to human by total bites has your dog inflicted on any dog? The bites to dogs were reported, and to whom? The lauthorities, hospital, Humane Society, et ceteral.	?  oer reported:  ans?	0 0 0 0	Yes Yes Yes Yes  1 1 Yes 1	2 2 2 2 2 2	3 3 3 3 No 3 3	No No No 4 4 4	5 5 5 5	>5 >5 >5 >5 >5

	months	years		
55. Age of animal when first began showing signs of the pr	roblem:			
66. Do you know if the parents engage in similar behavio				
☐ Yes, they did ☐ No, they didn't ☐ Don't know				
If so, what behaviors were exhibited by whom?				
7. Does the client know if any <b>littermates</b> are engaging i	n same behavior	s?		
☐ Don't know ☐ No, they aren't ☐ Yes, they are				
If so, what behaviors were exhibited by whom?				
8. Does your dog exhibit periodic diarrhea or gastroint	estinal distress	?		
☐ Yes ☐ No ☐ I don't know				
Separation anxiety and				th a v
The first set of these questions deals with an "actual abse alone or totally without the client. The second set deals wi the door is closed or the dog is barricaded in another roor Check NO if the dog does not react in the listed circu	th "virtual absendant. The questions	ce"—the client is home,	but not accessible	pecause
	mstarice.			
Check <b>UNKNOWN</b> if you don't know.  Check <b>YES</b> if the dog reacts. Please evaluate the ext	ent of the reaction	on from the list below.		
F YES:	on the rough			
<ul> <li>100% of the time = always</li> <li>&lt;100% of the time, but &gt; 60% = more often than notes about equally</li> <li>0% of the time but &lt; 40% = less often than notes</li> </ul>	oot			
Behaviors during an <b>ACTUAL absence</b>		VES	DON'T KNOW	NO
BEHAVIOR		YES	DON I KNOW	NO
Destructive behavior when separated from client.		100% of the time <100% but > 60% 40%-60% of the time > 0% but < 40%		
		100% of the time <100% but > 60%		
2. Urination when separated from client.		40%-60% of the time > 0% but < 40%		
		40%-60% of the time		
3. Defecation when separated from client.		40%-60% of the time > 0% but < 40% 100% of the time <100% but > 60% 40%-60% of the time		
3. Defecation when separated from client.  4. Vocalization when separated from client.		40%-60% of the time > 0% but < 40%  100% of the time <100% but > 60% 40%-60% of the time > 0% but < 40%  100% of the time <100% of the time <100% but > 60% 40%-60% of the time		
2. Urination when separated from client.  3. Defecation when separated from client.  4. Vocalization when separated from client.  5. Salivation when separated from client.		40%-60% of the time > 0% but < 40%  100% of the time <100% but > 60% 40%-60% of the time > 0% but < 40%  100% of the time <100% but > 60% 40%-60% of the time > 0% but < 40%  100% of the time > 100% of the time		

BEHAVIOR	YES	DON'T KNOW	NO
8. Destructive behavior when separated from client	☐ 100% of the time ☐ <100% but > 60% ☐ 40%-60% of the time ☐ > 0% but < 40%		
9. Urination when separated from client	☐ 100% of the time ☐ <100% but > 60% ☐ 40%-60% of the time ☐ > 0% but < 40%		
10. Defecation when separated from client	☐ 100% of the time ☐ <100% but > 60% ☐ 40%-60% of the time ☐ > 0% but < 40%		
11. Vocalization when separated from client	☐ 100% of the time ☐ <100% but > 60% ☐ 40%-60% of the time ☐ > 0% but < 40%		
12. Salivation when separated from client	☐ 100% of the time ☐ <100% but > 60% ☐ 40%-60% of the time ☐ > 0% but < 40%		
13. Panting when separated from client	☐ 100% of the time ☐ <100% but > 60% ☐ 40%-60% of the time ☐ > 0% but < 40%		
<ul> <li>14. If the answer is YES for any of the above responses, what i a. □ Within 5 minutes</li> <li>b. □ More than 5 minutes, but less than 30 minutes</li> <li>c. □ More than 30 minutes, but less than 1 hour</li> <li>d. □ More than 1 hour, but less than 3 hours</li> <li>e. □ Only after several hours</li> </ul>	is the timing of the onset of behav	viors (if known)?	
<ul> <li>a. □ Within 5 minutes</li> <li>b. □ More than 5 minutes, but less than 30 minutes</li> <li>c. □ More than 30 minutes, but less than 1 hour</li> <li>d. □ More than 1 hour, but less than 3 hours</li> </ul>			
a. ☐ Within 5 minutes b. ☐ More than 5 minutes, but less than 30 minutes c. ☐ More than 30 minutes, but less than 1 hour d. ☐ More than 1 hour, but less than 3 hours e. ☐ Only after several hours	YES	viors (if known)?	NO
b.   More than 5 minutes, but less than 30 minutes c.   More than 30 minutes, but less than 1 hour d.   More than 1 hour, but less than 3 hours e.   Only after several hours  Reactions to noise			NO
a.   Within 5 minutes b.   More than 5 minutes, but less than 30 minutes c.   More than 30 minutes, but less than 1 hour d.   More than 1 hour, but less than 3 hours e.   Only after several hours    Reactions to noise    BEHAVIOR  1. Reaction during thunderstorms.    Type of response—please check all that apply:   Salivate   Hide   Defecate   Tremble   Urinate   Destroy   Escape   Freeze   Pant   Will not eat food/treats   Pace   Pupil dilation	YES  □ 100% of the time □ <100% but > 60% □ 40%-60% of the time		NO

BEHAVIOR			YE	S		DON	'T KNC	w	ИО	
Reaction to other noises.		□ 100%								
type(s) of noise(s) (vacuum cleaners, leaf blowers, weed what ump trucks, sirens, alarm systems, etc.):	ckers,	□ <100 □ 40%	60%	of the	ime					
ype of response—please check all that apply:		□ > 0%	but <	< 40%						
☐ Salivate ☐ Hide										
☐ Defecate ☐ Tremble										
<ul><li>☐ Urinate</li><li>☐ Destroy</li><li>☐ Escape</li><li>☐ Freeze</li></ul>										
☐ Pant ☐ Will not eat food/treats								1		
<ul><li>☐ Pace</li><li>☐ Pupil dilation</li><li>☐ Vocalize (bark, whine, growl, howl)</li></ul>										
		firement		nuncha	ate occ	ur in th	ae doa'	s env	ironme	nt?
5. How frequently in terms of <i>weeks</i> do noise events such as	. Regula		.s, or <u>t</u>	Juliano	d. Fre	quenti	v V	0 0114		
a. Never b. Occasionally c 0% > 0% but < 50%		ut < 100	%		100	)%				
Once a week or so	A few tir	nes a we	ek		At le	ast mu	ltiple ti	mes a	week	
a. Willu	☐ Yes ☐ Yes ☐ Yes ☐ Yes	□ No □ No □ No		Incert Incert Incert	ain ain ain					
e. Rain	☐ Yes	□No		Jncert	ain					
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see con G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any or (2) By the clients to keep as a log about the baseline behalon.	kin); BI= er been i of the be avior, no	eth); B=1 =Bite (co in that sit	uation	s with	skin, r	egarui	855 01 (	uamaţ	je),	the
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skwD=Withdraw or avoid; NA=Not applicable (animal has neverally the screen can be used in three ways:  (1) To note the presence or absence, at any time, of any or (2) By the clients to keep as a log about the baseline behar number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behar number of the constraints of the constraints to consistent in style or only decided.	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=6 =Bite (co in that sit haviors oting hor given these num	w mar	s with )  ny time nber conn become	es the	behaves the pared	vior oc circum with th	curs, istanciose i	given ce has n (2) restric	be
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see con G=Growl (not a play growl); SP=Snap (no connection with sky) WD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behanumber of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only dicircumstance. If using this screen only for the first use, respectively.	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=6 =Bite (co in that sit haviors oting hor given these num	w mar	s with )  ny time nber conn become	es the	behaves the pared	vior oc circum with th	curs, istanciose i	given ce has n (2) restric	be
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see con G=Growl (not a play growl); SP=Snap (no connection with sky WD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any or (2) By the clients to keep as a log about the baseline behanumber of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discreumstance. If using this screen only for the first use, respectively.	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=6 =Bite (co in that sit haviors oting hor given these num	w mar	s with )  ny time nber conn become	es the	behaves the pared	vior oc circum with th	curs, istanciose i	given ce has n (2) restric	te
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skwD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation.	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	te
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see con G=Growl (not a play growl); SP=Snap (no connection with sky WD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any or (2) By the clients to keep as a log about the baseline behanumber of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discreumstance. If using this screen only for the first use, respectively.	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	te
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skwD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementations. If using this screen only for the first use, rein any category.	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skwD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discircumstance. If using this screen only for the first use, rein any category.  1. Take dog's food dish with food  2. Take dog's empty food dish	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behancountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discircumstance. If using this screen only for the first use, rein any category.  1. Take dog's food dish with food  2. Take dog's empty food dish  3. Take dog's water dish	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behar number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behar encountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discircumstance. If using this screen only for the first use, rein any category.  1. Take dog's food dish with food  2. Take dog's empty food dish  3. Take food (human) that falls on floor	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behas number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behas encountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discircumstance. If using this screen only for the first use, r in any category.  1. Take dog's food dish with food  2. Take dog's empty food dish  3. Take dog's water dish  4. Take food (human) that falls on floor  5. Take rawhide	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	be
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behar number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behar encountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discircumstance. If using this screen only for the first use, r in any category.  1. Take dog's food dish with food 2. Take dog's empty food dish 3. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see or G=Growl (not a play growl); SP=Snap (no connection with sk WD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behen countered, at different intervals during treatment so Please note if the reaction is consistent in style, or only dicircumstance. If using this screen only for the first use, rin any category.  1. Take dog's food dish with food 2. Take dog's empty food dish 3. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behen countered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation. If using this screen only for the first use, rin any category.  1. Take dog's food dish with food 2. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit 8. Take toy 9. Human approaches dog while eating	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behen countered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation. If using this screen only for the first use, rin any category.  1. Take dog's food dish with food 2. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit 8. Take toy 9. Human approaches dog while eating	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behan countered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation of the first use, in any category.  1. Take dog's food dish with food 2. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit 8. Take toy 9. Human approaches dog while eating 10. Dog approaches dog while eating 11. Human approaches dog while playing with toys	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behan countered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation. If using this screen only for the first use, rein any category.  1. Take dog's food dish with food 2. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit 8. Take toy 9. Human approaches dog while eating 10. Dog approaches dog while playing with toys 12. Dog approaches dog while playing with toys	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see or G=Growl (not a play growl); SP=Snap (no connection with sk WD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behanumber of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence bencountered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation. If using this screen only for the first use, rein any category.  1. Take dog's food dish with food 2. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit 8. Take toy 9. Human approaches dog while eating 10. Dog approaches dog while eating 11. Human approaches dog while playing with toys 12. Dog approaches dog while playing with toys 13. Human approaches/disturbs dog while sleeping	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec
KEY: NR=No reaction; S=Snarl (noise); L=Lift lip (can see of G=Growl (not a play growl); SP=Snap (no connection with skyD=Withdraw or avoid; NA=Not applicable (animal has never this screen can be used in three ways:  (1) To note the presence or absence, at any time, of any of (2) By the clients to keep as a log about the baseline behan number of times it is attempted, per unit time (i.e., per (3) To keep a log about frequencies of the occurrence behan countered, at different intervals during treatment so Please note if the reaction is consistent in style, or only discrementation. If using this screen only for the first use, rein any category.  1. Take dog's food dish with food 2. Take dog's water dish 4. Take food (human) that falls on floor 5. Take rawhide 6. Take real bone 7. Take biscuit 8. Take toy 9. Human approaches dog while eating 10. Dog approaches dog while playing with toys 12. Dog approaches dog while playing with toys	orner tee kin); BT= er been i of the be avior, no week) naviors, that the	eth); B=F =Bite (cc in that sit haviors biting hor given these num toward he dog h	w mar	ny time mber c can be erson en wo	es the of time comp or or rsenii	behaves the pared ally pre	vior oc circum with th sent ir ntensit	curs, estand lose i n one ty or f	given ce has n (2) restric	tec

	NR	s	L	В	G	SP	вт	WD	NA
18. Reach over head									
19. Put on leash									
20. Push on shoulders									
21. Push on rump									
22. Towel feet when wet				Hilling					
23. Bathe dog									
24. Groom dog's head									
25. Groom dog's body									
26. Stare at					m,				
27. Take muzzle in hands and shake					d in				
28. Push dog over onto back					CILTURE				
29. Stranger knocks on door									
30. Stranger enters room									
31. Dog in car at toll booth									
32. Dog in car at gas station									
33. Dog on leash approached by dog on street	# **								
34. Dog on leash approached by person on street									
35. Dog in yard—person passes									
36. Dog in yard—dog passes									
37. Dog in vet's office									
38. Dog in boarding kennel									
39. Dog in groomers									
40. Dog yelled at									
41. Dog corrected with leash									_
42. Dog physically punished—hit									_
43. Someone raises voice to owner in presence of dog									_
44. Someone hugs or touches owner in presence of dog									_
45. Squirrels, cats, small animals approach									_
46. Bicycles, skateboards				_					_
47. Crying infant		_				_			_
48. Playing with 2-year-old children				_					
49. Playing with 5- to 7-year-old children	سنطور المار المالا والما	_		_					1
50. Playing with 8- to 11-year-old children		_	-		_		_		$\vdash$
51. Playing with 12- to 16-year-old children									

## **Previous Treatment Questionnaire**

This questionnaire is designed to help us evaluate any role previous treatment may play in either your dog's problems or in their resolution. We would like you to answer two types of questions. The first set focuses on general, global approaches recommended. The second set, which is a fairly lengthy tick list, focuses on specific actions recommended. Please complete these tables to the best of your ability, and if our lists are not complete, or you feel that an explanation is warranted, please complete the "comment" section at the bottom. Even if you think that your dog is problem-free it would be extraordinarily helpful if you also completed this questionnaire so that we can compare dogs with problems to dogs without problems. Thanks!

Table 1: Global, general approaches recommended

	Suggested • = Yes	By whom	Attempted  • = Yes	Outcome
1. Obedience class		a pada di		
2. Private trainer				
3. Send to a shelter				
4. Place in another home				
5. Kill or euthanize				

	Suggested ° = Yes	By whom	Attempted • = Yes	Outcome
Take to board certified behaviorist (ACVB)			minute in the second se	
7. Agility trainer				
8. Consult your vet				
10. Consult a non-veterinary behavior consultant				
11. Make into working dog (e.g., guard, herding, hunting, etc.)				

Table 2: It's helpful if we know what treatments, tricks, or strategies clients have tried or have had recommended to them to alter their dogs' behaviors or to help shape better behaviors. Please tick the items below if they were suggested and or attempted. Please let us know who suggested that you try the activity noted, and the outcome if you attempted it. Please remember that you may have chosen not to try something that was suggested. Alternatively, you may have tried something that was not suggested, so please let us know what this was and the outcome at the bottom of the form.

	Suggested • = Yes	By whom	Attempted  • = Yes	Outcome
Stare at or "stare down"				
2. Grab by jowls and shake				
Get an additional dog as a companion for this one				
Step on leash or choke collar and force down				
5. Blow in nose or face				
Buy different types of dog toys (e.g., Kongs, etc.)				
7. Metal choke collar				
8. Prong collar				
9. Halti, head collar, or Gentle Leader				
10. Harness				
11. No pull or Sporn harness				
12. Martingale collar				
13. Scruffy Guider				
14. Fabric choke collar				
15. Electronic or shock collar controlled by owner				
16. Electronic or shock collar controlled by trainer				
17. Electronic or shock collar- remote control or bark activated				

	Suggested • = Yes	By whom	Attempted • = Yes	Outcome
8. Citronella collar				
19. Citronella spray				
20. Throw a tin or can of pennies				
21. Water pistol		The state of the s		
22. Whistle				
23. Foghorn				
24. Hit dog with hand				
25. Use a blow torch			prime ( part	
26. Hit dog with empty plastic soda bottle				
27. Hit dog with whiffle ball bat				
28. Hit dog with leash				4111
29. Hit dog with chain				
30. Hit dog with board, plank, or baseball bat				
31. Hit dog under chin				
32. Step on dog's toes				
33. Knee dog in chest / belly				
34. Kick dog				
35. Bite dog				
36. "Alpha roll" [hold spread eagle on back]				
37. "Dominance down" [hold down on side, legs extended, head flat]				
38. Growl at dog				
39. Yell or scream at dog				
40. Long down				
41. Sit and wait				
42. "Time out" [if you do this let us know where and how, and for how long]				

	Suggested o = Yes	By whom	Attempted • = Yes	Outcome
43. Praise for good behavior			Time and the second	
44. Crate				
45. Kennel outdoors				
46. Fenced yard				
47. Invisible fence				
48. Isolate somewhere in house [if you do this, please let us know where and for how long]				
49. Board at vet's or kennel (which, please)				
50. Use whip on dog				
51. Chain				
52. Cattle prod				
53. "String up" or hang by leash and collar—all 4 feet off ground				
54. "String up" or hang by leash and collar—only front feet off ground				
55. Pop and jerk leash				
56. Yank or pull on leash				
57. Tie up physically				
58. Tie out or stake on very short lead hooked to wall or floor				
59. Muzzle				
60. Increase exercise				
61. Increase play				
62. Give treats for good behavior				
63. Deprive of food				
64. Throw against wall				
65. Beat with your fists				
66. Shove dog's nose/face into urine, feces, or destruction				
67. Use scat mats or other electronic avoidance systems				
68. Calming cap				
69. Thundershirt or Anxiety Wrap				
70. Doggles or eyeshades				

	Suggested • = Yes	By whom	Attempted • = Yes	Outcome
71. Anything else that was recommended or tried?				

#### Comments?

### Stereotypic and ritualistic behavior history

This section of the history form is to be completed *only* if your dog is showing any repetitive, ritualistic behaviors **that you find troublesome or about which you are concerned.** If your dog is not doing this, you do not have to complete this form.

This first section focuses on a description and categorization of your dog's behavior(s).

	egories below fits your dog's behavior? apply to the dog's behavior. Then tick the best description the explanation.	nat relates to the selected behavior.	
a. □ Grooming	<ul> <li>☐ Chewing self</li> <li>☐ Licking self</li> <li>☐ Barbering/trimming hair on self</li> <li>☐ Continuously doing any of these behaviors to another individual. Please elaborate:</li> <li>☐ Other, please explain:</li> </ul>	<ul><li>☐ Biting self</li><li>☐ Plucking hair from self</li><li>☐ Sucking self</li></ul>	
b. □ Hallucinatory	☐ Staring and attending to things that are not there ☐ Tracking things that are not there ☐ Pouncing on or attacking things that are not there ☐ Other, please explain:		
c. □ Consumptive	□ Consuming rocks □ Consuming dirt or soil □ Consuming other objects □ Eating, licking, sucking, or chewing wool or fabric, rugs, furniture, et cetera □ Licking or gulping air □ Other, please explain:		
d. □ Locomotory	☐ Circling/spinning ☐ Tail-chasing ☐ Freezing ☐ Other, please explain:		
e.   Vocalization	☐ Rhythmic barking ☐ Howling ☐ Growling ☐ Other, please explain:		

This next section focuses on patterns of behaviors. Please indicate the appropriate answer (YES/NO/UNCERTAIN) for each of the following questions. Please feel free to add any information that you think might be helpful. You can add additional pages if needed.

	YES	NO	UNCERTAIN
2. Was there a change in the household or an event associated with the development of the behavior?	If yes, please describe in detail.		
3. Is there any time of day when the behavior seems more or less intense?	If so, please describe in detail what is usually going on at that time of day.		No one is home often enough to know.
Is there a person or another pet in the presence of whom the behavior seems more intense?	If yes, who is this and what is their association to the pet?		

YES	NO	UNCERTAIN
If yes, how can you tell?		
Almin Piper		
that will interrupt the behavior once it has s	tarted.	
If yes, where?		
Be as specific as possible—what type of ru	g or swe	eater fabric?
If so, what?		
If so, what?		
If so, please specify?		
If so, what specifically was the change?		
Age in months		
Duration: Days Weeks Months Pattern: After meals, in AM, et cetera (please specify)		
de a pedigree please label the dogs in it with ioral information. he same form of the condition to be conside follow fences or chase their tails. If you kno	red affe	cted. In other
tached.		
	that will interrupt the behavior once it has s  If yes, where?  Be as specific as possible—what type of ru  If so, what?  If so, please specify?  If so, what specifically was the change?  Age in months  Duration: Days Weeks Months Pattern: After meals, in AM, et cetera (please specify)  mented so if you can provide a pedigree for the de a pedigree please label the dogs in it with the same form of the condition to be considered follow fences or chase their tails. If you known that we have a specific and the same form of the condition to be considered follow fences or chase their tails. If you known that we have a specific and the same form of the condition to be considered follow fences or chase their tails. If you known that we have a specific and the same form of the condition to be considered follow fences or chase their tails. If you known that we have a specific and the same form of the condition to be considered follow fences or chase their tails. If you known that we have a specific and the same form of the condition to be considered follows.	If yes, how can you tell?  that will interrupt the behavior once it has started.  If yes, where?  Be as specific as possible—what type of rug or swell.  If so, what?  If so, what?  If so, what?  If so, what specifically was the change?  Age in months

### Questionnaire to evaluate behaviors of old dogs

This section of the history form is to be completed *only* if your dog is older (> 7 years for larger dogs and > 10 years for smaller ones) so that we can assess changes associated with aging. If your dog is not elderly or you have no complaints that could be associated with age, you do not have to complete this form. If you are uncertain, please complete the form.

associated with age, you do not have to complete this form. If you are uncertain, please complete the form.
Behavior screen for age associated changes:
1. Locomotory/ambulatory assessment (tick <b>only one</b> )  a. No alterations or debilities noted  b. Modest slowness associated with change from youth to adult  c. Moderate slowness associated with geriatric aging  d. Moderate slowness associated with geriatric aging plus alteration or debility in gait  e. Moderate slowness associated with geriatric aging plus some loss of function (e.g., cannot climb stairs)  f. Severe slowness associated with extreme loss of function, particularly on slick surfaces (may need to be carried)  g. Severe slowness, extreme loss of function, and decreased willingness or interest in locomoting (spends most of time in bed)  h. Paralysed or refuses to move
2. Appetite assessment (may tick more than one)
<ul> <li>□ a. No alterations in appetite</li> <li>□ b. Change in ability to physically handle food</li> <li>□ c. Change in ability to retain food (vomits or regurgitates)</li> <li>□ d. Change in ability to find food</li> <li>□ e. Change in interest in food (may be olfactory, having to do with the ability to smell)</li> <li>□ f. Change in rate of eating</li> <li>□ g. Change in completion of eating</li> <li>□ h. Change in timing of eating</li> <li>□ i. Change in preferred textures</li> </ul>
3. Assessment of elimination function (tick only one in each category)
a. Changes in frequencies and "accidents"  1. No change in frequency and no "accidents"  2. Increased frequency, no "accidents"  3. Decreased frequency, no "accidents"  4. Increased frequency with "accidents"  5. Decreased frequency with "accidents"  6. No change in frequency, but "accidents"
b. Bladder control
□ 1. Leaks urine when asleep, only □ 2. Leaks urine when awake, only □ 3. Leaks urine when awake or asleep □ 4. Full-stream, uncontrolled urination when asleep, only □ 5. Full-stream, uncontrolled urination when awake, only □ 6. Full-stream, uncontrolled urination when awake or asleep □ 7. No leakage or uncontrolled urination, all urination controlled, but in inappropriate or undesirable location □ 8. No change in urination control or behavior
<ul><li>c. Bowel control (Circle appropriate answer, if this occurs, please)</li><li>1. Defecates when asleep</li></ul>
Formed stool Diarrhea Mixed
2. Defecates without apparent awareness
Formed stool Diarrhea Mixed
3. Defecates when awake and aware of action, but in inappropriate or undesirable locations
Formed stool Diarrhea Mixed
4. No changes in bowel control
<ul> <li>4. Visual acuity—how well do you think the dog sees? (tick only one)</li> <li>□ a. No change in visual acuity detected by behavior—appears to see as well as ever</li> <li>□ b. Some change in acuity not dependent on ambient light conditions</li> <li>□ c. Some change in acuity dependent on ambient light conditions</li> <li>□ d. Extreme change in acuity not dependent on ambient light conditions</li> <li>□ e. Extreme change in acuity dependent on ambient light conditions</li> <li>□ f. Blind</li> </ul>
5. Auditory acuity—how well do you think the dog hears? (tick <b>only one</b> )  □ a. No apparent change in auditory acuity □ b. Some decrement in hearing—not responding to sounds to which the dog used to respond □ c. Extreme decrement in hearing—have to make sure the dog is paying attention or repeat signals or go get the dog when called □ d. Deaf—no response to sounds of any kind

Questionnaire to evaluate behaviors of old dogs	
6. Play interactions—if the dog plays with <b>toys</b> (other pets are addressed later), which situation best describes (tick <b>only one</b> )	s that play?
☐ a. No change in play with toys	
□ b. Slightly decreased interest in toys, only	
☐ c. Slightly decreased ability to play with toys, only	
$\square$ d. Slightly decreased interest and ability to play with toys	
☐ e. Extreme decreased interest in toys, only	
☐ f. Extreme decreased ability to play with toys, only	
$\square$ g. Extreme decreased interest and ability to play with toys	
7. Interactions with humans—which situation best describes that interaction? (tick only one)	
☐ a. No change in interaction with people	
☐ b. Recognizes people but slightly decreased frequency of interaction	
☐ c. Recognizes people but greatly decreased frequency of interaction	
☐ d. Withdrawal but recognizes people	
☐ e. Does not recognize people	
8. Interactions with other pets—which situation best describes that interaction? (tick only one)	
☐ a. No change in interaction with other pets	
☐ b. Recognizes other pets but slightly decreased frequency of interaction	
☐ c. Recognizes other pets but greatly decreased frequency of interaction	
☐ d. Withdrawal but recognizes other pets	
☐ e. Does not recognize other pets	
$\square$ f. No other pets or animal companions in house or social environment	
9. Changes in sleep/wake cycle (tick only one)	
☐ a. No changes in sleep patterns	
☐ b. Sleeps more in day, only	
☐ c. Some change—awakens at night and sleeps more in day	
☐ d. Much change—profoundly erratic nocturnal pattern and irregular daytime pattern	
e. Sleeps virtually all day, awake occasionally at night	
☐ f. Sleeps almost around the clock	
10. Is there anything else you think we should know?	
- 1400년 1200년 - 전투하는 전투하는 전투하는 전투하는 전투하는 보고 있다. 그 1200년 - 1200	
- Mainter (1987) - 1987 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1	
그래마 그 바다 그 가는 지나는 아이들은 사람들은 하게 되었다. 그리고 그리고 그리고 그리고 그리고 그리고 그리고 그리고	